

Brake Anti-Squeal Paste (can with brush)

Description

Specially developed lubricating and separating paste made from synthetic and ceramic agents. Eliminates squealing noises that occur between brake pistons or contact surfaces and the brake lining.

Properties

- good corrosion protection
- easy to use
- eliminates squeaks
- resistant to road salt and splash water
- extremely low friction
- outstanding thermal stability
- outstandingly adherent
- ideally suited as a separating paste

Technical data

Form	pastelike, liquid
Color / appearance	blue
Base	synthetic and ceramic active ingredients
Operating temperature range	-40 to +200 short term to +250 °C as lubricating agent
Operating temperature range	-40 to +1200 °C as release agent
Odor	slight
Shelf life in original sealed container	24 months

Areas of application

For fitting, repair and maintenance work on brake systems. Used for basic lubrication and as a preventive measure against brake squeals. Highly suitable as a universal paste for numerous applications apart from brake systems.

Comment

Do not apply paste to the friction surface of the lining or the brake disk!

Application

With floating brake calipers, first clean all sliding surfaces, channels and contact surfaces using a brush or brake file. Next, clean the brake components with Rapid Cleaner (Part no. 3318). After the solvent has evaporated, apply the paste to the cleaned parts on all sliding surfaces, channels and contact surfaces.



Available pack sizes

200 ml Can aerosol 3074
D-GB-I-E

Our information is based on thorough research and may be considered reliable, although not legally binding.

Available pack sizes