

# SAFETY DATA SHEET AD 0W-30 AD-TEC 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name AD 0W-30 AD-TEC 10

Product number AED005

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

1.4. Emergency telephone number

**Emergency telephone** +44 (0)161 764 5981

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Sens. 1 - H317

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

# **AD 0W-30 AD-TEC 10**

**Hazard statements** H317 May cause an allergic skin reaction.

**Precautionary statements** P261 Avoid breathing vapour/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.
P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Contains C14-16-18 ALKYL PHENOL

#### 2.3. Other hazards

Not applicable.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

60-100%

<3% DMSO EXTRACT (IP 346)

 REACH registration number: 01-

2119484627-25-0000

Classification
Asp. Tox. 1 - H304

# ZINC BIS[O-(6-METHYLHEPTYL)]BIS[O-(SEC-BUTYL)]BIS(DITHIOPHOSPHATE)

1-<2%

B0112)]B10(B111110111101111

CAS number: 93819-94-4

EC number: 298-577-9

REACH registration number: 01-

2119543726-33-0000

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

#### C14-16-18 ALKYL PHENOL

1-<2%

CAS number: — EC number: 931-468-2

REACH registration number: 01-

2119498288-19-0000

Classification

Skin Sens. 1B - H317 Aquatic Chronic 4 - H413

#### **AD 0W-30 AD-TEC 10**

REACTION PRODUCTS OF BENZENEAMINE, N-PHENYL-WITH NONENE (BRANCHED)

1-<2%

WITH NONLINE (BIVANCILED)

EC number: 253-249-4

REACH registration number: 01-

2119488911-28-0000

Classification

CAS number: -

Aquatic Chronic 4 - H413

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Remove affected person from source of

contamination. Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

**Ingestion** Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue,

dizziness and nausea.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication.

**Skin contact** Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion

hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon.

# AD 0W-30 AD-TEC 10

#### 5.3. Advice for firefighters

**Special protective equipment** Leave danger zone immediately.

for firefighters

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of

vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In

case of spills, beware of slippery floors and surfaces.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination. Do not discharge into

drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in

Section 13.

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames Methods for cleaning up

> or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with noncombustible, absorbent material. Collect and place in suitable waste disposal containers and

seal securely.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and

dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented. Wash hands and any other

> contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with

oil into pockets.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

# 8.1. Control parameters

# Occupational exposure limits

No exposure limits known for ingredient(s).

#### 8.2. Exposure controls

#### AD 0W-30 AD-TEC 10

#### Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves.

Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash contaminated clothing before reuse. Wash promptly with soap and water if skin

becomes contaminated.

**Respiratory protection** No specific recommendations.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Brown.

Odour Oil-like.

Odour threshold Scientifically unjustified. Scientifically unjustified.

**pH** Scientifically unjustified.

Melting point Scientifically unjustified.

Initial boiling point and range >250°C @

Flash point 212°C

**Evaporation rate** Scientifically unjustified.

Upper/lower flammability or

explosive limits

Scientifically unjustified.

Vapour pressure Scientifically unjustified.

Vapour density Scientifically unjustified.

Relative density 0.855 g/cm³ @ 20°C

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Scientifically unjustified.

**Decomposition Temperature** Scientifically unjustified.

Viscosity 52.0 cSt @ 40°C

#### **AD 0W-30 AD-TEC 10**

Oxidising properties Not determined.

9.2. Other information

Other information None.

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity**There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

products

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin contact Prolonged and frequent contact may cause redness and irritation. May cause an allergic skin

reaction.

**Eye contact** May cause temporary eye irritation.

Acute and chronic health

hazards

This chemical can be hazardous when inhaled and/or touched.

# SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or damaging effect

on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish

LC<sub>50</sub>, 96 hours: 100 (estimate) (Lubricating oils, (petroleum), C20-50, hydrotreated neutral oil-

based) mg/l, Fish

Acute toxicity - aquatic

invertebrates

Not determined.

Acute toxicity - aquatic plants Not determined.

12.2. Persistence and degradability

#### **AD 0W-30 AD-TEC 10**

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

**Mobility** The product is insoluble in water.

Adsorption/desorption

coefficient

Not available.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Confirm disposal procedures with environmental engineer and local regulations.

#### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

No transport warning sign required.

# 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# AD 0W-30 AD-TEC 10

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Health & Safety Department

Revision date 16/12/2019

Revision 1

SDS number 33555

SDS status Approved.

Hazard statements in full H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.