

SAFETY DATA SHEET AD 5W-30 AD-TEC 24

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	AD 5W-30 AD-TEC 24
Product number	AWD001, AWD005, AWD020
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Engine oil.
1.3. Details of the supplier of the safety data sheet	
Supplier Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 764 5981 0161 797 5899 info@tetrosyl.com
1.4. Emergency telephone nu	nber
Emergency telephone	+44 (0)161 764 5981
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

Not applicable.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
DISTILLATES, HYDROTREATED <3% DMSO EXTRACT (IP 346)	HEAVY PARAFFINIC	60-100%
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01- 2119484627-25-0000
Classification Asp. Tox. 1 - H304		
MINERAL OIL - H304 (<3% DMS	O EXTRACT, IP 346)	5-<10%
CAS number: 64742-55-8	EC number: 265-158-7	REACH registration number: 01- 2119487077-29-0000
Classification Asp. Tox. 1 - H304		
REACTION PRODUCTS OF BEN WITH NONENE (BRANCHED)	IZENEAMINE, N-PHENYL-	3-<5.0%
CAS number: —	EC number: 253-249-4	REACH registration number: 01- 2119488911-28-0000
Classification Aquatic Chronic 4 - H413		
HINDERED ALKYLPHENOL, EST	rer	1-<2%
CAS number: 125643-61-0	EC number: 406-040-9	REACH registration number: 01-0000015551-76-0015
Classification Aquatic Chronic 4 - H413		
PHENOL, DODECYL-, BRANCH	ED	-<0.05
CAS number: 121158-58-5	EC number: 310-154-3	REACH registration number: 01- 2119513207-49-0000
M factor (Acute) = 10	M factor (Chronic) = 10	
Classification Skin Corr. 1C - H314 Eye Dam. 1 - H318 Repr. 1B - H360F Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

DIPHENYLAMINE		-<0.05
CAS number: 122-39-4	EC number: 204-539-4	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox, 3 - H331		
STOT RE 2 - H373		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
BUTYLATED HYDROXYTC	DLUENE	-<0.05
CAS number: 128-37-0	EC number: 204-881-4	REACH registration number: 01- 2119565113-46-0000
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
	tomonto in displayed in Conting 10	
SECTION 4: First aid measu	atements is displayed in Section 16.	
4.1. Description of first aid m		
General information	Get medical attention if any discomfort continu contamination. Move affected person to fresh comfortable for breathing.	•
Inhalation	If spray/mist has been inhaled, proceed as fol keep warm and at rest in a position comfortab	-
Ingestion	Contact physician if larger quantity has been	consumed. Rinse mouth thoroughly with water.
Skin contact	Remove contaminated clothing immediately a	nd wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remo apart. Continue to rinse for at least 15 minute	
4.2. Most important symptom	ns and effects, both acute and delayed	
General information	The severity of the symptoms described will v length of exposure. Effects may be delayed. A	
Inhalation	May cause an asthma-like shortness of breath dizziness and nausea.	n. Vapours may cause headache, fatigue,
Ingestion	May cause discomfort if swallowed. May caus headache, dizziness and intoxication.	e stomach pain or vomiting. May cause nausea,
Skin contact	Prolonged or repeated contact with skin may	cause irritation, redness and dermatitis.
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immed	ate medical attention and special treatment need	led
Notes for the doctor	No specific recommendations. If in doubt, get	medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	<u>ns</u>
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits
DIPHENYLAMINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ Short-term exposure limit (15-minute): WEL 20 mg/m³

BUTYLATED HYDROXYTOLUENE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Brown.
Odour	Oil-like.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	>250°C @ 1013 hPa
Flash point	210°C
Evaporation rate	Not determined.

Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.853g/cm³ @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	55.0 mm²/s @ 40°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	Ictivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	n products
Hazardous decomposition	Does not decompose when used and stored as recommended.
products	
products SECTION 11: Toxicological inf	formation
SECTION 11: Toxicological inf	
SECTION 11: Toxicological inf 11.1. Information on toxicological Toxicological effects	cal effects No information available.
SECTION 11: Toxicological inf 11.1. Information on toxicologi	cal effects

Skin contact	Prolonged and frequent contact may cause redness and irritation.	
Eye contact	May cause temporary eye irritation.	
SECTION 12: Ecological information		
Ecotoxicity	Dangerous for the environment if discharged into watercourses. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
<u>12.1. Toxicity</u> Acute aquatic toxicity Acute toxicity - fish	Not available.	
Acute toxicity - aquatic invertebrates	Not available.	
12.2. Persistence and degrada	ability	
Persistence and degradability	There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not determined.	
12.4. Mobility in soil		
Mobility	The product is insoluble in water and will spread on the water surface.	
Adsorption/desorption coefficient	Not available.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	Not available.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport inform	SECTION 14: Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam	e	
Not applicable.		
14.3. Transport hazard class(e	<u>əs)</u>	

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	EH40/2005 Workplace exposure limits	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Health & Safety Department
Revision date	16/12/2019
Revision	1
SDS number	33575
SDS status	Approved.
Hazard statements in full	 H301 Toxic if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H331 Toxic if inhaled. H360F May damage fertility. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.